

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

IMPORTANT

Please refer to your machine's user manual to set your machine up properly for free motion quilting.

Alpha 4005 **Low**

Atlas 526 **Low**

American Beauty **Low**

Babylock: Most are LOW shank – Exceptions noted below:

Crescendo, Destiny, Aria, Unity, Journey, Spirit and Ellageo – **High Shank**

Babylock BLQC "AKA JANE", BLQCP, BL500A – Use **High Shank - CRF**

Bernette Milan 5, Milan7, Milan 8

Bernette Chicago 5, Chicago 7 **Low**

Bernina 500, 600, Most others **Low with Bernina shank adapter**

700, 800, 820, 830, 880 – **Low with Bernina shank adapter**

Aurora 440, 440 QE -- **Low with Bernina shank adapter #77 4mm Schablonen!**

Old Style Presser Foot Type use Bernina shank adapter – Use Low foot with adapter.

Brother: Innovis 50 **Low mit 4mm Linealen (Anschietisch bestellbar)**

Brother: Most are **LOW** shank – Exceptions are noted below:

Brother: ULT2001, ULT2002, ULT2003D, XE-VM5100, XV8500D, VE2200, VM6200, VQ2400, VQ3000, VM1500,
V5, V7, VQ2, 3100D Super Galaxy, **-HIGH Shank**

Brother PQ1300, PQ1500S – **High Shank CRF foot**

Brother Nouvelle 1500 – **High Shank CRF foot**

Capital **Low**

Consew **Low**

Domestic **Low**

Dressmaker **Low**

Elna: Experience 520 **Low mit 6mm Linealen**

Elna: Most are **LOW** shank – Exceptions are noted below:

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Elna 700 Series, 800 Series, Super 64B, 580, 680, 7100, 7300 Pro – High Shank

Elna 900 Expressive – High Shank

EnVision 9006 High

Elnita Low

EuroPro Shark Low

Ever Sewn Low

Good Housekeeper Low

Gritzner Tipmatic 1035, 6122, 6152

Handi Quilter – Low shank – HQ210

Handi Quilter – High Shank – HQ710 Stitch

Handi Quilter – High Shank – CRF – HQ510 Stitch

Hobbymatic Low

Homemaker Low

Husqvarna Mega Quilter High Shank – MGQ foot

Husqvarna Designer SE Series machines - Low

Husqvarna/Viking Sapphire 960, Quilt Sapphire 870 – Low Note: See Viking listing for additional information on set-up for Sapphires, Rubies, Topazes, Diamonds, Epic and Opal 690 Needle position may need to be adjusted for centering.

Husqvarna Diamond Royale – Low (needle position adjustment from 0.0 to 0.5mm – Auto Fabric Thickness Sensor will be enabled when setting this machine to “free-motion” setting.

Jaguar Low

Janome 920

Janome 415, 419, 423

Janome 60507

Janome HD 1800, My Style

Janome 525, 625

Janome 601, 603, 605, 607

Janome 5060 DC

Janome DC 6100, DC 7100

Janome DM 7200

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Janome MC 5900

Janome MC 6500p (4mm dünne Schablonen) **Low**

Janome/New Home: Most are **LOW** shank – Exceptions noted below:

XC500, XC552, XC656A, 5000MC, 6600MC (4mm Schablonen!), 6600P, MC10000, MC11000 Special Edition, MC11000, MC10001, MC12000, MC15000, MC9500, MC9700, MC5000, MC5700, 7700QCP MC8000, MC8100HF, 8200QC, MC8900QCP, MC9000, MC7700 Horizon, 9400MC, 9500MC, 9700MC, 9900MC, Skyline S3, S5, S7, S9, 300EMC, 350EMC - **High**

Janome 1600P, 1600P-DB, 1600-QC **High Shank CRF Foot**

JCPenney **Low**

JUKI DX5, DX 7 **Low** ACHTUNG Schwebefunktion einschalten und höchste Position wählen!

Juki HZL F700, F600, ... **NICHTS PASST**

Juki – Most are LOW – Exceptions are noted below:

Juki DDL-227, DDL-555, DDL-8700, TL-98E, TL-98P, TL-98QE, – **Use High Shank CRF foot**

Juki DX5, DX7 – **low** 6mm (Schwebefunktion ein und ganz nach oben stellen!)

Juki – TL-2000 Qi – TL-2010Qi, TL-2200QVP Mini - **High Shank CRF Foot**

Kenmore – Most are LOW – Exceptions noted below: **please double check these with our shank chart on the ruler foot page. Some models may need a Medium or High – measure your shank.**

1914 **High**

Super High Needs Kenmore Presser Foot Adaptor #P60666 – use Low foot with the adaptor.

Montgomery Ward **Low**

Morse **Low**

Necchi - Most are LOW shank – Exceptions noted below:

Lydia MKA, Super Nova, 515, 542, 544, 1950, 1958 **High**

Nelco **Low**

R series-- **High**

Omega **Low**

Penncrest **Low**

Pfaff Passport, Clasic Style passion 2023, Ambition **Low** (Ambition war med, aber in Plön keine Mittelstellung gefunden)

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Pfaff - Most are LOW – Exceptions noted below:

**** Most of the Pfaff machines noted below have a sensomatic free motion or using the Spring Free motion setting: Please refer to your manual on how to set up your machine for free-motion quilting. Needle adjustment may be necessary. All set-up changes can be found in your Menu settings.**

Creative Sensation Pro, Creative Sensation, Creative Vision, Creative Performance, Creative 4.5, 4.0, 3.0, 2.0, 2124, 2134, 2140, 2144, 2170, Performance 5.0, Quilt Expression 4.2, 4.0, 2042, 2044, 2046, 2048, Expression 2.0, 3.0, 3.2, 3.5, 4.0, 4.2, Expression 150, 2014, 2024, 2026, 2027, 2028, 2034, 2036, 2038, 2144, 2170, –
Medium

Pfaff 1197, 1199 and 1200 series-- **High**

Pfaff 1200 Grand Quilter – **High Shank MGQ Foot**

Phoenix Automatic **Low**

Riccar **Low**

Sierra **Low**

Simplicity **Low**

Singer Most are **Low** – Exceptions are noted below:

Vintage Singer Machines: If your vintage Singer uses generic low shank feet – **Low**

Singer 31-15 – **High Shank SS** – Special order, you will need to contact us directly.

Singer models that are “slant” shank: **“Fine Line” Clarity will not fit on slant shanks**, but we are exploring the slant shank machines in 2017. **If you are interested in participating in our development of a slant shank foot, please email us.**

290C, 301, 400, 401, 401A, 403, 409, 417, 500, 500A, 501, 503, 503A, 600-class, 900-class, 1000-class, 1200-class, 1411, 1425, 2000-class, 2001, 2005, 2010, 7000, 750/691, 900 series, 4600 series, 700-class, 4572, 6200 series (many variations of shank but usually slant), 9117, 9134, and most Slant-o-matics, Touch-n-Sews, TouchTronics, & Athenas

Sonata **Low**

Sterling Automatic **Low**

Universal **Low**

Viking 100, 600, 1000, or #1 series has special Viking shank. : **“Fine Line” Clarity will not fit on this special Viking shank.**

140, 160, 1919, 200, 300, 400, 500, 550, 6000-series, 6000, 6020, 6170, 6230, 6270, 6360, 6370, 6430, 6440, 6460, 6680, 6690 & 8910 **Low**

ACCENTS IN DESIGN – Machine Model / Shank Size Lookup Chart by Sewing Machine Brand (Make)

Viking Opal 670 – “Fine Line” Clarity foot does not fit this machine. This model does not have the Exclusive Sensor System for free-motion quilting.

Viking Rubies, Epic, Diamonds, Topazes, Sapphires and the Opal 690 – Low - Refer to your user manual for the proper set up for free motion quilting.

900-series Slant – “Fine Line” Clarity will not fit on slant shank machines.

Vigorelli Most Low

W6 N9000 QPL Low (4mm Schablonen)

500er? Low

White Most are Low – Exceptions noted below

White 628, 844, 1099, 1315, 2836 High

Wizard Most Low

Yamata Low